


ARFEN[®]

"Architectural Products"



Ceramic Edge Profiles



Trim and Level Difference Profiles



Terrazo Finishing Profiles



Aluminium and PVC Skirtings



Bath-tub Profiles



Aluminium and Stainless Steel
Movement Joint Profiles



PVC Thermal Movement Joint Profiles




Stair Nosing Profiles





Flexible PVC Skirtings





Tangible Surface Products




Aluminium Entrance Mat Systems






Aluminium Skirting Profiles

ASP 60





ASP60... It can be applied in all types floor coverings 60 mm height, with easy mounting clip aluminium skirting profiles...
Product Length; 3,00 LM



ASP75... It can be applied in all types floor coverings 75 mm height, with easy mounting clip aluminium skirting profiles...
Product Length; 3,00 LM


ASP 75



*Different surface options
*Powder coating in RAL colors

Aluminium Skirting Profiles

ASP 80





ASP80... It can be applied in all types floor coverings 80 mm height, with easy mounting clip aluminium skirting profiles...

Product Length; 3,00 LM

Note; Finishing parts are PVC

ASP 82



ASP82... It can be applied in all types floor coverings 80 mm height, with easy mounting clip aluminium skirting profiles...


Product Length; 3,00 LM

Note; Finishing part are Aluminium



Aluminium Skirting Profiles


ASP 85



ASP85... 85 mm height aluminium skirting profiles...
Product Length; 3,00 LM



ASP 90




ASP90... It can be applied in all types floor coverings
90 mm height, with easy mounting
clip aluminium skirting profiles...
Product Length; 3,00 LM
Note; Finishing part are Aluminium




Aluminium Skirting Profiles

ASP 91



ASP91... 90 mm height aluminium skirting profile; can be applied with screws or bonding method...
Product Length; 3,00 LM




ASP94... It can be applied in all types floor skirting profiles with aluminium holder profile...
Product Length; 3,00 LM

ASP 94



Aluminium Skirting Profiles

ASP 100




ASP100... It can be applied in all types floor coverings
100 mm height, with easy mounting
clip aluminium skirting profiles...
Product Length; 3,00 LM



Right End & External Corner **ASP10**
Left End & External Corner **ASP11**



ASP12
Internal Corner



ASP120... It can be applied in all types floor coverings
120 mm height, with easy mounting
clip aluminium skirting profiles...
Product Length; 3,00 LM

ASP 120




Right End & External Corner **ASP13**
Left End & External Corner **ASP14**



ASP15
Internal Corner


PVC Skirting Profiles

PS 45




Decorative skirtings fully compatible with parquet, ceramic, granite, marble, carpet etc...
Application Method; Easy to apply with adhesive
Product Length; 3,00 LM
Color Options; Powder coating in RAL colors

PS 53




Decorative skirtings fully compatible with carpet applications
 Lightweight and economical...
Application Method; Easy to apply with adhesive
Product Length; 3,00 LM
Color Options; Powder coating in RAL colors

PS 60



Decorative skirtings fully compatible with parquet, ceramic, granite, marble, carpet etc...
Application Method; Easy to apply with adhesive
Product Length; 3,00 LM
Color Options; Powder coating in RAL colors



DC 101



Decorative PVC skirting with cable channel fully compatible with parquet, ceramic, granite, marble etc...
Application Method; Easy to apply with screw and
Product Length; 3,00 LM
Color Options; RAL colors and wood colors

Stair Nosing Profiles

SB 10





Decorative stair nosing fully compatible with parquet, ceramic, granite, marble, carpet etc...

Application Method; Easy to apply with adhesive or screw

Product Length; 2,70 LM

Color Options; Silver and gold anodized

SB 11




Decorative stair nosing fully compatible with parquet, ceramic, granite, marble, carpet etc...

Application Method; Easy to apply with adhesive or screw

Product Length; 2,70 LM

Color Options; Silver and gold anodized

Stair Nosing Profiles



SB 1012

Decorative stair nosing fully compatible with parquet, ceramic, granite, marble, carpet etc...

Application Method; Easy to apply with adhesive or screw

Product Length; 2,70 LM

Color Options; Silver and gold anodized



SB 11

Decorative stair nosing fully compatible with parquet, ceramic, granite, marble, carpet etc...

Application Method; Easy to apply with adhesive or screw

Product Length; 2,70 LM

Color Options; Silver and gold anodized



MB 55P

Decorative stair nosing fully compatible with PVC floor covering...

Application Method; Easy to apply with adhesive

Product Length; 2,70 LM

Color Options; Powder coating in RAL colors



MB 76

Decorative stair nosing fully compatible with PVC floor covering...

Application Method; Easy to apply with adhesive

Product Length; 2,70 LM

Color Options; Powder coating in RAL colors



HB 18

Decorative stair nosing fully compatible with parquet, ceramic, granite, marble, carpet etc...

Application Method; Easy to apply with adhesive or screw


Product Length; 2,70 LM

Color Options; Silver and gold anodized




Trim and Level Difference Profiles


GP 41



Decorative trim profiles with hidden screw channel.
Fully compatible with parquet, ceramic, granite, marble etc...
Application Method; Easy to apply with adhesive or screw
Product Length; 2,70 LM
Color Options; Silver and gold anodized



GP 01




Fully compatible with parquet, ceramic, granite and marble lightweight...
Application Method; Easy to apply with adhesive
Product Length; 2,70 LM
Color Options; Silver and gold anodized



Trim and Level Difference Profiles

GP 25




Fully compatible with parquet, ceramic, granite and marble lightweight...

Application Method; Easy to apply with adhesive

Product Length; 2,70 LM

Color Options; Silver and gold anodized

GP 30




Decorative trim profiles with hidden screw channel.
Fully compatible with parquet, ceramic, granite, marble etc...

Application Method; Easy to apply with adhesive or screw

Product Length; 2,70 LM

Color Options; Silver and gold anodized

GP 30-2




Fully compatible with parquet, ceramic, granite and marble lightweight...

Application Method; Easy to apply with adhesive

Product Length; 2,70 LM

Color Options; Silver and gold anodized

GP 32




Fully compatible with parquet, ceramic, granite and marble lightweight...

Application Method; Easy to apply with adhesive

Product Length; 2,70 LM

Color Options; Silver and gold anodized

GP 35



Fully compatible with parquet, ceramic, granite and marble lightweight...


Application Method; Easy to apply with adhesive

Product Length; 2,70 LM

Color Options; Silver and gold anodized

Trim and Level Difference Profiles

KF 28



Decorative level difference profile, fully compatible with parquet, ceramic, granite, marble etc...


Application Method; Easy to apply with adhesive or screw

Product Length; 2,70 LM

Color Options; Silver and gold anodized



KF 35



Decorative level difference profile, fully compatible with parquet, ceramic, granite, marble etc...

Application Method; Easy to apply with adhesive or screw


Product Length; 2,70 LM

Color Options; Silver and gold anodized



Trim and Level Difference Profiles

KF 45




Decorative level difference profile, fully compatible with parquet, ceramic, granite, marble etc...

Application Method; Easy to apply with adhesive or screw

Product Length; 2,70 LM

Color Options; Silver and gold anodized

GP 37




Decorative level difference profile, fully compatible with parquet, ceramic, granite, marble etc...

Application Method; Easy to apply with adhesive or screw

Product Length; 2,70 LM

Color Options; Silver and gold anodized

GP 38




Decorative level difference fully compatible with parquet, ceramic, granite, marble etc...

Application Method; Easy to apply with adhesive or screw

Product Length; 2,70 LM

Color Options; Silver and gold anodized

GP 39




Decorative level difference fully compatible with parquet, ceramic, granite, marble etc...

Application Method; Easy to apply with adhesive or screw

Product Length; 2,70 LM

Color Options; Silver and gold anodized

GP 50



Decorative level difference fully compatible with parquet, ceramic, granite, marble etc...


Application Method; Easy to apply with adhesive or screw

Product Length; 2,70 LM

Color Options; Silver and gold anodized

Carpet and Parquet Finishing Profiles


HB 12




Decorative carpet and parquet edge profiles fully compatible with all types of flooring materials
Application Method; Easy to apply with adhesive or screw
Product Length; 2,70 LM
Color Options; Silver and gold anodized



HB 14




Fully compatible with light carpet applications, which can be easily applied decorative carpet finishing profiles
Application Method; Easy to apply with adhesive or screw
Product Length; 2,70 LM
Color Options; Silver and gold anodized



Carpet and Parquet Finishing Profiles

HB 15




Fully compatible with light carpet applications, which can be easily applied decorative carpet finishing profiles

Application Method; Easy to apply with adhesive or screw

Product Length; 2,70 LM

Color Options; Silver and gold anodized




Fully compatible with light carpet applications, which can be easily applied decorative carpet finishing profiles

Application Method; Easy to apply with adhesive or screw

Product Length; 2,70 LM

Color Options; Silver and gold anodized

HB 16



Fully compatible with light carpet applications, which can be easily applied decorative carpet finishing profiles

Application Method; Easy to apply with adhesive or screw

Product Length; 2,70 LM

Color Options; Silver and gold anodized

HB 17




Ceramic Edge and Terrazo Finishing Profiles



SB 02



8 mm aluminium ceramic outer edge profile...
Product Length; 2,70 LM
Color Options; Silver and gold anodized



SB 12



12 mm aluminium ceramic outer edge profile...
Product Length; 2,70 LM
Color Options; Silver and gold anodized




Stainless steel
optim please with
www.arfen.com


Ceramic Edge and Terrazo Finishing Profiles

SB 0206



8 mm aluminium ceramic outer edge profile...
Product Length; 2,70 LM
Color Options; Silver and gold anodized

SB 0201


8 mm aluminium ceramic outer edge profile...
Product Length; 2,70 LM
Color Options; Silver and gold anodized


SB 03


8 mm aluminium ceramic outer edge profile...
Product Length; 2,70 LM
Color Options; Silver and gold anodized

**SB 0106
SB 0108**


6 mm (SB 0106) & 8 mm (SB 0108) PVC ceramic outer edge profile...
Product Length; 2,70 LM
Color Options; Standart color bellow



Renkler

**SB 0110
SB 0112**



10 mm (SB 0106) & 12 mm (SB 0108) PVC ceramic outer edge profile...
Product Length; 2,70 LM
Color Options; Standart color bellow

Ceramic Edge and Terrazo Finishing Profiles

SB 05



10 mm aluminium ceramic edge profile...
Product Length; 2,70 LM
Color Options; Silver and gold anodized



SB 08



12 mm aluminium ceramic vertical end profile...
Product Length; 2,70 LM
Color Options; Silver and gold anodized




Ceramic Edge and Terrazo Finishing Profiles

SB 04



8 mm aluminium ceramic edge profile...
Product Length; 2,70 LM
Color Options; Silver and gold anodized

SB 06




8 mm aluminium ceramic vertical end profile...
Product Length; 2,70 LM
Color Options; Silver and gold anodized

SB 07



10 mm aluminium ceramic vertical end profile...
Product Length; 2,70 LM
Color Options; Silver and gold anodized

SB 15



15 mm aluminium ceramic vertical end profile...
Product Length; 2,70 LM
Color Options; Silver and gold anodized


SB 09



10 mm aluminium ceramic level difference profile...
Product Length; 2,70 LM
Color Options; Silver and gold anodized

Ceramic Edge and Terrazo Finishing Profiles


İK 08



8 mm aluminium ceramic inner corner profile...
Product Length; 2,70 LM
Color Options; Silver and gold anodized



İK 10




10 mm aluminium ceramic inner corner profile...
Product Length; 2,70 LM
Color Options; Silver and gold anodized



Ceramic Edge and Terrazo Finishing Profiles

İK 12




12 mm aluminium ceramic inner corner profile...

Product Length; 2,70 LM

Color Options; Silver and gold anodized

İK10P




10 mm PVC ceramic inner corner profile...

Product Length; 2,70 LM

Color Options; Standart color bellow

İK 20




20*20 mm aluminium ceramic inner corner profile...

Product Length; 2,70 LM

Color Options; Silver and gold anodized


Terrazo Profiles



Decorative dividing profiles. Made of aluminium and are ideal for use in terraced flooring surfaces.



Bath-tub, Decorative Ceramic Profiles

İK 27



Decorative one-piece tub edge profile ideal for bath-tub and kitchen sink...

Application Method; Easy to apply with adhesive
Product Length; 2,70 LM
Color Options; White



Decorative one-piece tub edge profile ideal for bath-tub and kitchen sink...


Application Method; Easy to apply with adhesive
Product Length; 2,70 LM
Color Options; White

İK 30



Bath-tub, Decorative Ceramic Profiles

İK 22




Decorative one-piece tub edge profile ideal for bath-tub and kitchen sink...

Application Method; Easy to apply with adhesive

Product Length; 2,70 LM

Color Options; White




20*20 mm (DK 20) & 25*25 mm (DK 25) aluminium corner guard profiles

Application Method; Easy to apply with adhesive

Product Length; 2,70 LM

Color Options; Silver and gold anodized

DK 20 DK 25




20*20 mm (DK 20) & 25*25 mm (DK 25) aluminium corner guard profiles

Application Method; Easy to apply with adhesive

Product Length; 2,70 LM

Color Options; Silver and gold anodized

DK 30



20*20 mm (DK 20) & 25*25 mm (DK 25) aluminium corner guard profiles

Application Method; Easy to apply with adhesive


Product Length; 2,70 LM

Color Options; Silver and gold anodized

DK 40

Bath-tub, Decorative Ceramic Profiles

SB 20




Trim profiles compatible with parquet, ceramic, granite, marble, carpet etc.

Application Method; Easy to apply with adhesive

Product Length; 2,70 LM

Color Options; Silver and gold anodized



Aluminium border profiles ideal for decorative apperance in ceramic applications

Application Method; Easy to apply with adhesive

Product Length; 2,70 LM


Color Options; Silver and gold anodized

DP 04



Bath-tub, Decorative Ceramic Profiles

SB 14




T shape trim profiles compatible with parquet, ceramic, granite, marble, carpet etc.

Application Method; Easy to apply with adhesive

Product Length; 2,70 LM

Color Options; Silver and gold anodized

SB 25




T shape trim profiles compatible with parquet, ceramic, granite, marble, carpet etc.

Application Method; Easy to apply with adhesive

Product Length; 2,70 LM

Color Options; Silver and gold anodized

DP 03




Aluminium border profiles ideal for decorative apperance in ceramic applications

Application Method; Easy to apply with adhesive

Product Length; 2,70 LM

Color Options; Silver and gold anodized

DP 05




Aluminium border profiles ideal for decorative apperance in ceramic applications

Application Method; Easy to apply with adhesive

Product Length; 2,70 LM

Color Options; Silver and gold anodized

SB 05



Aluminium border profiles ideal for decorative apperance in ceramic applications




Application Method; Easy to apply with adhesive

Product Length; 2,70 LM

Color Options; Silver and gold anodized

Elastic PVC Skirtings



PS 85



Used in PVC flooring applications, flexible PVC skirting with capped
Application Method; Easy to apply with adhesive
Product Length; 25 LM
Color Options; 50 color options




PS 7510




This product is used in PVC flooring application as a skirting
Application Method; Easy to apply with adhesive
Product Length; 50 LM
Color Options; 50 color options






PS 86




PS 5510



PS 9010



PVC corner profile for flooring
Product Length; 50 LM




PS 10010




INDOOR MAT SYSTEMS

HH 01




It is an indoor mat system catching dirt and mud by means of its aluminium profiles with carpet top surface. The durable mat system consisting of mats bound with one another by steel ropes can be equipped with frame or can be produced as pool type inserted in a specific slot. Its depth is 2 cm. It provides sound insulation by means of its lower buffer cords.




INDOOR MAT SYSTEMS

HS 02



It is an indoor mat system catching dirt and mud by means of its aluminium profiles with carpet top surface. The durable mat system consisting of mats bound with one another by steel ropes can be equipped with frame or can be produced as pool type inserted in a specific slot. Its depth is 2 cm. It provides sound insulation by means of its lower buffer cords.



INDOOR MAT SYSTEMS

dirt retention of
up to 90 %

HF 03



INSERT COLOURS



black



grey

CARPET COLOURS




black



grey



red



INDOOR MAT SYSTEMS

HH 04



INSERT COLOURS



black



grey

CARPET COLOURS




black




grey



red



It is an indoor mat system catching dirt and mud by means of its aluminium profiles with carpet top surface. The durable mat system consisting of mats bound with one another by steel ropes can be equipped with frame or can be produced as pool type inserted in a specific slot. Its depth is 2 cm. It provides sound insulation by means of its lower buffer cords.





INDOOR MAT SYSTEMS

HH 05



CARPET COLOURS




It is an indoor mat system catching dirt and mud by means of its aluminium profiles with wide carpet surface. The durable mat system consisting of mats bound with one another by steel ropes can be equipped with frame or can be produced as pool type inserted in a specific slot. Its depth is 2 cm. It provides sound insulation by means of its lower buffer cords.




INDOOR MAT SYSTEMS

HH 06



CARPET COLOURS




It is an indoor mat system catching dirt and mud by means of its aluminium profiles with wide carpet surface. The durable mat system consisting of mats bound with one another by steel ropes can be equipped with frame or can be produced as pool type inserted in a specific slot. Its depth is 2 cm. It provides sound insulation by means of its lower buffer cords.




INDOOR MAT SYSTEMS


HH 07



CARPET COLOURS



It is an indoor mat system catching dirt and mud by means of its aluminium profiles with wide carpet surface. The durable mat system consisting of mats bound with one another by steel ropes can be equipped with frame or can be produced as pool type inserted in a specific slot. Its depth is 2 cm. It provides sound insulation by means of its lower buffer cords.



Pool Type

OUTDOOR MAT SYSTEMS


KK 06



INSERT COLOURS




It is an outdoor mat system catching dirt and mud by means of its rubber strips located on aluminium profiles. The durable mat system consisting of mats bound with one another by steel ropes can be equipped with frame or can be produced as pool type inserted in a specific slot. Its depth is 2 cm. It provides sound insulation by means of its lower buffer cords.




With Frame

OUTDOOR MAT SYSTEMS

KS 07



INSERT COLOURS



It is an outdoor mat system catching dirt and mud by means of its rubber strips and aluminium scrapers located on aluminium profiles. The durable mat system consisting of mats bound with one another by steel ropes can be equipped with frame or can be produced as pool type inserted in a specific slot. Its depth is 2 cm. It provides sound insulation by means of its lower buffer cords.




OUTDOOR MAT SYSTEMS

KF 07



INSERT COLOURS



It is an outdoor mat system catching dirt and mud by means of its rubber strips and brushes scrapers located on aluminium profiles. The durable mat system consisting of mats bound with one another by steel ropes can be equipped with frame or can be produced as pool type inserted in a specific slot. Its depth is 2 cm. It provides sound insulation by means of its lower buffer cords.




OUTDOOR MAT SYSTEMS

KF 08



It is an outdoor mat system catching dirt and mud by means of its rubber strips and strong rigid brushes located on aluminium profiles. The durable mat system consisting of mats bound with one another by steel ropes can be equipped with frame or can be produced as pool type inserted in a specific slot. Its depth is 2 cm. It provides sound insulation by means of its lower buffer cords.




OUTDOOR MAT SYSTEMS


KF 09



It is an outdoor mat system catching dirt and mud by means of its strong brushes and aluminium scrapers located on aluminium profiles. The durable mat system consisting of mats bound with one another by steel ropes can be equipped with frame or can be produced as pool type inserted in a specific slot. Its depth is 2 cm. It provides sound insulation by means of its lower buffer cords.




DP08-12




Stainless steel with Neopren insert moviment joint profiles. Ideal for 12mm floor covering.

DP08-14





Stainless steel with Neopren insert moviment joint profiles. Ideal for 14mm floor covering.

DP08-16




Stainless steel with Neopren insert moviment joint profiles. Ideal for 16mm floor covering.

Movement Joint Profiles




DP08-23




Stainless steel with Neopren insert moviment joint profiles. Ideal for 23mm floor covering.

DP 11





Stainless steel with Neopren insert moviment joint profiles. Ideal for 25mm floor covering.

DP 12




Stainless steel with Neopren insert moviment joint profiles. Ideal for 20mm floor covering.

Movement Joint Profiles




DP01-6




Aluminium with Neopren insert movement joint profiles. Ideal for 6mm floor covering.

DP01-8





Aluminium with Neopren insert movement joint profiles. Ideal for 8mm floor covering.

DP01-10




Aluminium with Neopren insert movement joint profiles. Ideal for 10mm floor covering.

Movement Joint Profiles



DP01-12




Aluminium with Neopren insert moviment joint profiles. Ideal for 12mm floor covering.

Movement Joint Profiles




DP01-14




Aluminium with Neopren insert moviment joint profiles. Ideal for 14mm floor covering.




DP01-16



Aluminium with Neopren insert moviment joint profiles. Ideal for 16mm floor covering.



DP01-23




Aluminium with Neopren insert movement joint profiles. Ideal for 23mm floor covering.

Movement Joint Profiles




DP02-10






PVC thermal movement joint profiles. Ideal for 10mm floor covering.


DP02-12



PVC thermal movement joint profiles. Ideal for 10mm floor covering.




DP02-15




PVC thermal movement joint profiles. Ideal for 15mm floor covering.

DP 06






PVC thermal movement joint profiles. Ideal for 48mm floor covering.

DP06-1





PVC thermal movement joint profiles. Ideal for 35mm floor covering.

Movement Joint Profiles



YI 001



Tangible Surface Products






40*40 cm polyurethane tangible surface walk plate.



YI 002





40*40 cm polyurethane tangible surface waiting plate.




YI 003



Tangible Surface Products




28 cm polyurethane self-adhesive tangible surface walk line.



YI 004





28 mm polyurethane self-adhesive tangible surface waiting points.



YI 005



Tangible Surface Products





28 cm polyurethane hidden screw tangible surface walk line.




YI 006



28 mm polyurethane hidden screw tangible surface waiting points.



YI 007




28 cm stainless steel self-adhesive tangible surface walk line.




Tangible Surface Products




YI 008



28 mm stainless steel self-adhesive tangible surface waiting points.




YI 009





28 cm stainless steel hidden screw tangible surface walk line.

YI 010




28 mm stainless steel hidden screw tangible surface waiting points.

Tangible Surface Products







**ARFEN İNŞAAT
TAAH. SAN. ve TİC. LTD. ŞTİ.**

Atatürk Sanayi Bölgesi
Ömerli Mah. Hakkı İleri Cad.
Gölce Sok. No:22 Hadımköy / İSTANBUL / TURKEY
Tel: +90 212 485 76 15
Fax: +90 212 485 16 77

İzmir Region
+90 232 459 72 71

Ankara Region
+90 312 286 00 06